

	PD 014-029					8/7/2014
	Bid Opening 7/1/2014 10:00am					
	SPECIFICATIONS AND PROPOSAL FORM FOR THE PURCHASE OF A FARMALL 85C SERIES TRACTOR WITH BOOM MOWER ATTACHMENT (OR APPROVED EQUAL) FOR USE BY THE GLOUCESTER COUNTY PUBLIC WORKS DEPARTMENT AND EXISTING UNITS WITHIN THE COUNTY AS ALLOWED THROUGH THE COUNTY CONTRACT PURCHASING SYSTEM NUMBERS CK-01-GC & 16GLCP					
	VENDOR: Rodio Tractor Sales Inc. 717 White Horse Pike Hammonton, NJ 08037 Carl Rodio 609 561-0141 609 561-4344 Fax	VENDOR: Farm-Rite Inc. 122 Old Cohansey Rd. Bridgeton, NJ 08302 Donald Strang 856 451-1368 856 453-9480 Fax	VENDOR: Cherry Valley Tractor Sales 35 Route 70 West Marlton, NJ 08053 Brian Wright 856 983-0111 856 988-6290 Fax	VENDOR: Peach Country Tractor 749 Mullica Hill rd. Mullica Hill NJ 08062 David Smith 856 589-3953 856 582-9682 Fax	VENDOR: US Municipal Supply Inc. PO Box 574 Hunting PA 16652 Garry Wright 814 627-4671 814 627-3381 Fax	
DESCRIPTION						
FARMALL 85C SERIES TRACTOR WITH BOOM MOWER ATTACHMENT	\$53,785.00	\$62,517.00	\$66,336.00	\$71,539.00	\$88,558.00	
Make and Model Tractor offered Boom Attachment offered	Massey Ferguson 4609 Brush Hog RMB1660-1	Farmall 85C Tractor McConnel PA48	New Holland T4.85 Alamo Boom PA 48M	New Holland T4.85 MoTrim MM-17HB	New Holland TS6.110 Diamond RBM c-w-16	
DELIVERY ARO	90 Days	Dec-14	180 Days	130 Days	90 to 120 Days	
Variations: (if any)	3 Cyl. Engine 60in boom rotary head	None	New Holland Tractor Hydraulic System Remote Valve Exception - one open center rear remote with 2 couplers- standard	New Holland Tractor	New Holland Tractor	
	BID SUBMISSION DOES NOT MEET SPECIFICATIONS					
Will you extend your prices to local government entities within the County	Yes	No	Yes	No	No	
Bid specifications sent to:	Prime Vendor Construction Journal	Alamo Group TRIUS Inc.	Cammps Hardware & Lawn Diamond Mowers			
Based upon the bids received, I recommend the contract be awarded to Farm-Rite Inc. as the lowest responsive, responsible bidder.						
		Sincerely,				
		Robert J. McErlane Purchasing				